



The mind is not a vessel to be filled, but a fire to be kindled.
Plutarch

Topic: Functions

Outcomes

A student:

- uses algebraic and graphical techniques to solve, and where appropriate, compare alternative solutions to problems MA11-1
- uses the concepts of functions and relations to model, analyse and solve practical problems MA11-2
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- provides reasoning to support conclusions which are appropriate to the context MA11-9

Topic Focus

The topic Functions involves the use of both algebraic and graphical conventions and terminology to describe, interpret and model relationships of and between changing quantities.

A knowledge of functions enables students to discover, recognise and generalise connections between algebraic and graphical representations of the same expression and to describe interactions through the use of both dependent and independent variables.

The study of functions is important in developing students' ability to find connections and patterns, to communicate concisely and precisely, to use algebraic techniques and manipulations, to describe and solve problems, and to predict future outcomes in areas such as finance, economics, data analysis, marketing and weather.

Subtopics

MA-F1 Working with Functions (9)

Functions

MA-F1 Working with Functions 0

Outcomes

A student:

- uses algebraic and graphical techniques to solve, and where appropriate, compare alternative solutions to problems MA11-1
- uses the concepts of functions and relations to model, analyse and solve practical problems MA11-2
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- provides reasoning to support conclusions which are appropriate to the context MA11-9

Subtopic Focus

The principal focus of this subtopic is to introduce students to the concept of a function and develop their knowledge of functions and their respective graphs. Function notation is introduced, which is essential for describing the ideas of calculus.

Students develop their use of mathematical language to describe functions, their properties and respective graphs while applying this knowledge to everyday problems and applications. In business and economics, for example revenue depends on the number of items sold, and expressing this relationship as a function allows the investigation of changes in revenue as sales change.

Within this subtopic, schools have the opportunity to identify areas of Stage 5 content which may

need to be reviewed to meet the needs of students.

F1.1: Algebraic techniques

St	idents:
•	use index laws and surds
•	dents: solve quadratic equations using the quadratic formula and by completing the square (ACMMM008)
•	solve quadratic equations using the quadratic formula and by completing the square
•	solve quadratic equations using the quadratic formula and by completing the square
•	solve quadratic equations using the quadratic formula and by completing the square
	solve quadratic equations using the quadratic formula and by completing the square
	solve quadratic equations using the quadratic formula and by completing the square (ACMMM008)
	solve quadratic equations using the quadratic formula and by completing the square (ACMMM008)
	solve quadratic equations using the quadratic formula and by completing the square (ACMMM008)
	solve quadratic equations using the quadratic formula and by completing the square (ACMMM008)
	solve quadratic equations using the quadratic formula and by completing the square (ACMMM008)
	solve quadratic equations using the quadratic formula and by completing the square (ACMMM008)
	solve quadratic equations using the quadratic formula and by completing the square (ACMMM008)
	solve quadratic equations using the quadratic formula and by completing the square (ACMMM008)

Students: • manipulate complex algebraic expressions involving algebraic fractions
F1.2: Introduction to functions Students:
 define and use a function and a relation as mappings between sets, and as a rule or a formula that defines one variable quantity in terms of another define a relation as any set of ordered pairs (x, y) of real numbers understand the formal definition of a function as a set of ordered pairs (x, y) of real numbers such that no two ordered pairs have the same first component (or x-component)

Students:		
•	use functi	

	understand and us					es (ACMMM023) 🕏 I range
•••••						
tudent		at of the graph	of a function	o (ACNANA024	\	
· and	derstand the concep	or the graph	TOT A TUTICITO	II (ACIVIIVIIVIO24)	
	derstand the concep	grapi				

•	ide -	ntify types of functions and relations on a given domain, using a variety of methods know what is meant by one-to-one, one-to-many, many-to-one and many-to-many use the vertical line test to identify a function
	_	determine if a function is one-to-one (ACMSM094)
••••••		
•••••		
••••••	•••••	
••••••	•••••	
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
Stud		s: ine odd and even functions algebraically and recognise their geometric properties
•	def	ne odd and even functions algebraically and recognise their geometric properties
•	def	ne odd and even functions algebraically and recognise their geometric properties
•	def	ne odd and even functions algebraically and recognise their geometric properties
•	def	ne odd and even functions algebraically and recognise their geometric properties
•	def	ne odd and even functions algebraically and recognise their geometric properties
•	def	ine odd and even functions algebraically and recognise their geometric properties
	def	ne odd and even functions algebraically and recognise their geometric properties
•	def	ne odd and even functions algebraically and recognise their geometric properties
	def	ne odd and even functions algebraically and recognise their geometric properties
	def	ne odd and even functions algebraically and recognise their geometric properties

Stu	dents:
•	define the sum, difference, product and quotient of functions and consider their domains and ranges where possible
•••••	
•••••	
•••••	
•••••	
	dents:
Stu	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate
	define and use the composite function $f(g(x))$ of functions $f(x)$ and $g(x)$ where appropriate

Students: • recognise that solving the equation $f(x) = 0$ corresponds to finding the values of x for which the graph of $y = f(x)$ cuts the x -axis (the x -intercepts)	the
	•••••
	•••••
	•••••
	•••••
	•••••
Students:	
Citatoria.	
	•••••
	•••••
	•••••
	•••••
	•••••
	•••••

F1.3: Linear, quadratic and cubic functions

- model, analyse and solve problems involving linear functions AAM 🛭 🔩 🐡
 - recognise that a direct variation relationship produces a straight-line graph
 - explain the geometrical significance of m and c in the equation f(x) = mx + c
 - derive the equation of a straight line passing through a fixed point (x_1, y_1) and having a given gradient m using the formula $y y_1 = m(x x_1)$
 - derive the equation of a straight line passing through two points (x_1, y_1) and (x_2, y_2) by first calculating its gradient m using the formula $m = \frac{y_2 y_1}{x_2 x_1}$
 - understand and use the fact that parallel lines have the same gradient and that two lines with gradient m_1 and m_2 respectively are perpendicular if and only if $m_1m_2=-1$

- find the equations of straight lines, including parallel and perpendicular lines, given sufficient information (ACMMM004) **
Students:

 model, analyse and solve problems involving quadratic functions AAM ()
 Students: solve practical problems involving a pair of simultaneous linear and/or quadratic functions algebraically and graphically, with or without the aid of technology; for example determining and interpreting the break-even point of a simple business problem AAM ℚ ■ * understand that solving f(x) = k corresponds to finding the values of x for which the graph y = f(x) cuts the line y = k
• solve practical problems involving a pair of simultaneous linear and/or quadratic functions algebraically and graphically, with or without the aid of technology; for example determining and interpreting the break-even point of a simple business problem AAM () • *
 solve practical problems involving a pair of simultaneous linear and/or quadratic functions algebraically and graphically, with or without the aid of technology; for example determining and interpreting the break-even point of a simple business problem AAM () = * understand that solving f(x) = k corresponds to finding the values of x for which the graph
 solve practical problems involving a pair of simultaneous linear and/or quadratic functions algebraically and graphically, with or without the aid of technology; for example determining and interpreting the break-even point of a simple business problem AAM () = * understand that solving f(x) = k corresponds to finding the values of x for which the graph
 solve practical problems involving a pair of simultaneous linear and/or quadratic functions algebraically and graphically, with or without the aid of technology; for example determining and interpreting the break-even point of a simple business problem AAM () = * understand that solving f(x) = k corresponds to finding the values of x for which the graph
 solve practical problems involving a pair of simultaneous linear and/or quadratic functions algebraically and graphically, with or without the aid of technology; for example determining and interpreting the break-even point of a simple business problem AAM () = * understand that solving f(x) = k corresponds to finding the values of x for which the graph
 solve practical problems involving a pair of simultaneous linear and/or quadratic functions algebraically and graphically, with or without the aid of technology; for example determining and interpreting the break-even point of a simple business problem AAM () = * understand that solving f(x) = k corresponds to finding the values of x for which the graph
 solve practical problems involving a pair of simultaneous linear and/or quadratic functions algebraically and graphically, with or without the aid of technology; for example determining and interpreting the break-even point of a simple business problem AAM () = * understand that solving f(x) = k corresponds to finding the values of x for which the graph
 solve practical problems involving a pair of simultaneous linear and/or quadratic functions algebraically and graphically, with or without the aid of technology; for example determining and interpreting the break-even point of a simple business problem AAM () = * understand that solving f(x) = k corresponds to finding the values of x for which the graph
 solve practical problems involving a pair of simultaneous linear and/or quadratic functions algebraically and graphically, with or without the aid of technology; for example determining and interpreting the break-even point of a simple business problem AAM () = * understand that solving f(x) = k corresponds to finding the values of x for which the graph

recognise cubic functions of the form: $f(x) = kx^3$, $f(x) = k(x - b)^3 + c$ and $f(x) = k(x - a)(x - b)(x - c)$, where a , b , c and k are constants, from their equation and/or graph and identify important features of the graph \blacksquare . 1.4: Further functions and relations udents: define a real polynomial $P(x)$ as the expression $a_nx^n + a_{n-1}x^{n-1} + + a_2x^2 + a_1x + a_0$ where $n = 0,1,2,$ and $a_0,a_1,a_2,,a_n$ are real numbers	tuden	ts:
graph and identify important features of the graph \blacksquare 1.4: Further functions and relations udents: define a real polynomial $P(x)$ as the expression $a_nx^n + a_{n-1}x^{n-1} + \ldots + a_2x^2 + a_1x + a_0$ where	re	cognise cubic functions of the form: $f(x) = kx^3$, $f(x) = k(x - b)^3 + c$ and
I.4: Further functions and relations udents: define a real polynomial $P(x)$ as the expression $a_nx^n+a_{n-1}x^{n-1}+\ldots+a_2x^2+a_1x+a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where	gr	aph and identify important features of the graph 🖳
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where	• • • • • • • • • • • • • • • • • • • •	
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + \ldots + a_2 x^2 + a_1 x + a_0$ where	••••••	
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + \ldots + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + \ldots + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where	••••••	
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
udents: define a real polynomial $P(x)$ as the expression $a_n x^n + a_{n-1} x^{n-1} + + a_2 x^2 + a_1 x + a_0$ where		
	••••••	

Stud	dents: identify the coefficients and the degree of a polynomial (ACMMM015)
•••••	
Stud	dents: identify the shape and features of graphs of polynomial functions of any degree in factored form and sketch their graphs

Students: • recognise that functions of the form $f(x) = \frac{k}{x}$ represent inverse variation, identify the hysphape of their graphs and identify their asymptotes AAM \mathbb{Q}	perbolic
Ob. do reto.	
Students: • define the absolute value x of a real number x as the distance of the number from the a number line without regard to its sign	origin on
• define the absolute value $ x $ of a real number x as the distance of the number from the	origin on
• define the absolute value $ x $ of a real number x as the distance of the number from the	origin on
• define the absolute value $ x $ of a real number x as the distance of the number from the	origin on
define the absolute value x of a real number x as the distance of the number from the a number line without regard to its sign	
• define the absolute value $ x $ of a real number x as the distance of the number from the	
define the absolute value x of a real number x as the distance of the number from the a number line without regard to its sign	
define the absolute value x of a real number x as the distance of the number from the a number line without regard to its sign	
define the absolute value x of a real number x as the distance of the number from the a number line without regard to its sign	
define the absolute value x of a real number x as the distance of the number from the a number line without regard to its sign	
define the absolute value x of a real number x as the distance of the number from the a number line without regard to its sign	
define the absolute value x of a real number x as the distance of the number from the a number line without regard to its sign	
define the absolute value x of a real number x as the distance of the number from the a number line without regard to its sign	

	ents: use and apply the notation $ x $ for the absolute value of the real number x and the graph of $y = x $
	(ACMSM098) – recognise the shape and features of the graph of $y = ax + b $ and hence sketch the graph
•••••	
••••••	
Stude	ents:
•	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically
	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically
	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically
	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically
	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically
	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically
	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically
	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically
	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically
	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically
	solve simple absolute value equations of the form $ ax + b = k$ both algebraically and graphically

	s: ven the graph of $y = f(x)$, sketch $y = -f(x)$ and $y = f(-x)$ and $y = -f(-x)$ using reflections the x and y -axes
•••••	
•••••	
••••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
 dent	s:
	cognise features of the graphs of $x^2+y^2=r^2$ and $(x-a)^2+(y-b)^2=r^2$, including their cular shapes, their centres and their radii (ACMMM020) $\stackrel{\text{def}}{=}$ derive the equation of a circle, centre the origin, by considering Pythagoras' theorem and recognise that a circle is not a function transform equations of the form $x^2+y^2+ax+by+c=0$ into the form $(x-a)^2+(y-b)^2=r^2$, by completing the square sketch circles given their equations and find the equation of a circle from its graph recognise that $y=\sqrt{r^2-x^2}$ and $y=-\sqrt{r^2-x^2}$ are functions, identify the semicircular shap of their graphs and sketch them
rec	cognise features of the graphs of $x^2 + y^2 = r^2$ and $(x - a)^2 + (y - b)^2 = r^2$, including their cular shapes, their centres and their radii (ACMMM020) \checkmark and derive the equation of a circle, centre the origin, by considering Pythagoras' theorem and recognise that a circle is not a function transform equations of the form $x^2 + y^2 + ax + by + c = 0$ into the form $(x - a)^2 + (y - b)^2 = r^2$, by completing the square sketch circles given their equations and find the equation of a circle from its graph recognise that $y = \sqrt{r^2 - x^2}$ and $y = -\sqrt{r^2 - x^2}$ are functions, identify the semicircular shapes
rec	cognise features of the graphs of $x^2 + y^2 = r^2$ and $(x - a)^2 + (y - b)^2 = r^2$, including their cular shapes, their centres and their radii (ACMMM020) \checkmark and derive the equation of a circle, centre the origin, by considering Pythagoras' theorem and recognise that a circle is not a function transform equations of the form $x^2 + y^2 + ax + by + c = 0$ into the form $(x - a)^2 + (y - b)^2 = r^2$, by completing the square sketch circles given their equations and find the equation of a circle from its graph recognise that $y = \sqrt{r^2 - x^2}$ and $y = -\sqrt{r^2 - x^2}$ are functions, identify the semicircular shapes
rec	cognise features of the graphs of $x^2 + y^2 = r^2$ and $(x - a)^2 + (y - b)^2 = r^2$, including their cular shapes, their centres and their radii (ACMMM020) \clubsuit derive the equation of a circle, centre the origin, by considering Pythagoras' theorem and recognise that a circle is not a function transform equations of the form $x^2 + y^2 + ax + by + c = 0$ into the form $(x - a)^2 + (y - b)^2 = r^2$, by completing the square sketch circles given their equations and find the equation of a circle from its graph recognise that $y = \sqrt{r^2 - x^2}$ and $y = -\sqrt{r^2 - x^2}$ are functions, identify the semicircular shapes
rec	cognise features of the graphs of $x^2 + y^2 = r^2$ and $(x - a)^2 + (y - b)^2 = r^2$, including their cular shapes, their centres and their radii (ACMMM020) \checkmark and derive the equation of a circle, centre the origin, by considering Pythagoras' theorem and recognise that a circle is not a function transform equations of the form $x^2 + y^2 + ax + by + c = 0$ into the form $(x - a)^2 + (y - b)^2 = r^2$, by completing the square sketch circles given their equations and find the equation of a circle from its graph recognise that $y = \sqrt{r^2 - x^2}$ and $y = -\sqrt{r^2 - x^2}$ are functions, identify the semicircular shapes
rec	cognise features of the graphs of $x^2 + y^2 = r^2$ and $(x - a)^2 + (y - b)^2 = r^2$, including their cular shapes, their centres and their radii (ACMMM020) \checkmark and derive the equation of a circle, centre the origin, by considering Pythagoras' theorem and recognise that a circle is not a function transform equations of the form $x^2 + y^2 + ax + by + c = 0$ into the form $(x - a)^2 + (y - b)^2 = r^2$, by completing the square sketch circles given their equations and find the equation of a circle from its graph recognise that $y = \sqrt{r^2 - x^2}$ and $y = -\sqrt{r^2 - x^2}$ are functions, identify the semicircular shapes
rec	cognise features of the graphs of $x^2 + y^2 = r^2$ and $(x - a)^2 + (y - b)^2 = r^2$, including their cular shapes, their centres and their radii (ACMMM020) \clubsuit derive the equation of a circle, centre the origin, by considering Pythagoras' theorem and recognise that a circle is not a function transform equations of the form $x^2 + y^2 + ax + by + c = 0$ into the form $(x - a)^2 + (y - b)^2 = r^2$, by completing the square sketch circles given their equations and find the equation of a circle from its graph recognise that $y = \sqrt{r^2 - x^2}$ and $y = -\sqrt{r^2 - x^2}$ are functions, identify the semicircular shapes

Topic: Trigonometric Functions

Outcomes

A student:

- uses algebraic and graphical techniques to solve, and where appropriate, compare alternative solutions to problems MA11-1
- uses the concepts and techniques of trigonometry in the solution of equations and problems involving geometric shapes MA11-3
- uses the concepts and techniques of periodic functions in the solutions of trigonometric equations or proof of trigonometric identities MA11-4
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- > provides reasoning to support conclusions which are appropriate to the context MA11-9

Topic Focus

The topic Trigonometric Functions involves the study of periodic functions in geometric, algebraic, numerical and graphical representations.

A knowledge of trigonometric functions enables the solving of practical problems involving triangles or periodic graphs, such as waves and signals.

The study of trigonometric functions is important in developing students' understanding of periodic behaviour, a property not possessed by any previously studied functions. Utilising this property, mathematical models have been developed that describe the behaviour of many naturally occurring periodic phenomena, such as vibrations or waves, as well as oscillatory behaviour found in pendulums, electric currents and radio signals.

Subtopics

MA-T1 Trigonometry and Measure of Angles
MA-T2 Trigonometric Functions and Identities

Trigonometric Functions

MA-T1 Trigonometry and Measure of Angles (9)

Outcomes

A student:

- uses algebraic and graphical techniques to solve, and where appropriate, compare alternative solutions to problems MA11-1
- uses the concepts and techniques of trigonometry in the solution of equations and problems involving geometric shapes MA11-3
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- provides reasoning to support conclusions which are appropriate to the context MA11-9

Subtopic Focus

The principal focus of this subtopic is to solve problems involving triangles using trigonometry, and to understand and use angular measure expressed in radians and degrees. This has practical and analytical applications in areas including surveying, navigation, meteorology, architecture, construction and electronics.

Students develop techniques to solve problems involving triangles, and then extend these ideas to include the exact ratios for angles, and also to the study of non-right-angled triangles. This introduces the need to define the trigonometric ratios for obtuse angles, which is followed by the establishment of trigonometric ratios of angles of any size. Radians are introduced as another measure in which angles of any size can be found. Radians are important for the study of the calculus of trigonometric functions in Year 12.

Within this subtopic, schools have the opportunity to identify areas of Stage 5 content which may need to be reviewed to meet the needs of students.	
	••••
	••••
	••••
	•••••
	•••••

T1.1 Trigonometry

•	use the sine, cosine and tangent ratios to solve problems involving right-angled triangles where angles are measured in degrees, or degrees and minutes \emptyset
••••••	
••••••	
••••••	
••••••	
•••••	
••••••	
Stud	lents: establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM ∅ ■
Stud	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems
Stud	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems
Stud	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems
•	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM 🖟 🔍
•	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM 🖟 🔍
•	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM ()
•	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM () .
•	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM ()
•	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM () .
•	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM 🖟 🔍
•	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM 🖟 🔍
•	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM () .
•	establish and use the sine rule, cosine rule and the area of a triangle formula for solving problems where angles are measured in degrees, or degrees and minutes AAM () .

 Students: find angles and sides involving the ambiguous case of the sine rule use technology and/or geometric construction to investigate the ambiguous case of the sine rule when finding an angle, and the condition for it to arise □ 	
Ot starts.	
Students: • solve problems involving the use of trigonometry in two and three dimensions AAM • interpret information about a two or three-dimensional context given in diagrammatic or written form and construct diagrams where required	
 solve problems involving the use of trigonometry in two and three dimensions AAM 0 interpret information about a two or three-dimensional context given in diagrammatic or 	
 solve problems involving the use of trigonometry in two and three dimensions AAM 0 interpret information about a two or three-dimensional context given in diagrammatic or 	
 solve problems involving the use of trigonometry in two and three dimensions AAM 0 interpret information about a two or three-dimensional context given in diagrammatic or 	
 solve problems involving the use of trigonometry in two and three dimensions AAM 0 interpret information about a two or three-dimensional context given in diagrammatic or 	
 solve problems involving the use of trigonometry in two and three dimensions AAM 0 interpret information about a two or three-dimensional context given in diagrammatic or 	
 solve problems involving the use of trigonometry in two and three dimensions AAM 0 interpret information about a two or three-dimensional context given in diagrammatic or 	
solve problems involving the use of trigonometry in two and three dimensions AAM interpret information about a two or three-dimensional context given in diagrammatic or written form and construct diagrams where required	
 solve problems involving the use of trigonometry in two and three dimensions AAM 0 interpret information about a two or three-dimensional context given in diagrammatic or 	
solve problems involving the use of trigonometry in two and three dimensions AAM interpret information about a two or three-dimensional context given in diagrammatic or written form and construct diagrams where required	
solve problems involving the use of trigonometry in two and three dimensions AAM interpret information about a two or three-dimensional context given in diagrammatic or written form and construct diagrams where required	

Stude	nts:
n	olve practical problems involving Pythagoras' theorem and the trigonometry of triangles, which hay involve the ambiguous case, including but not limited to finding and using angles of elevation and depression and the use of true bearings and compass bearings in navigation AAM 0
T1 2	Radians
Stud	
	understand the unit circle definition of $\sin heta$, $\cos heta$ and $\tan heta$ and periodicity using degrees
(ACMMM029)
	- sketch the trigonometric functions in degrees for $0^{\circ} \le x \le 360^{\circ}$
•••••	

- define and use radian measure and understand its relationship with degree measure (ACMMM032)
 - convert between the two measures, using the fact that $360^{\circ} = 2\pi$ radians

recogni		lues of $\sin \theta$, $\cos \theta$ and $\tan \theta$ in both MMM035)	oth degrees and radians for
Otrado ator			
Students: • understand (ACMMM03		of $\sin heta$, $\cos heta$ and $ an heta$ and $ extstyle{period}$	odicity using radians
 understand 		of $\sin \theta$, $\cos \theta$ and $\tan \theta$ and perio	odicity using radians
 understand 		of $\sin \theta$, $\cos \theta$ and $\tan \theta$ and periods	odicity using radians
 understand 		of $\sin \theta$, $\cos \theta$ and $\tan \theta$ and periods	odicity using radians
understand (ACMMM03	34)		
• understand (ACMMM03	34)		
understand (ACMMM03	34)		
understand (ACMMM03	34)		
• understand (ACMMM03	34)		
• understand (ACMMM03	34)		
• understand (ACMMM03	34)		

	dents:
•	solve problems involving trigonometric ratios of angles of any magnitude in both degrees and radians
	radiano
•••••	
O4	James.
Stud	dents: recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in degrees and radians (ACMMM036)
	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in
	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in
	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in
	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in
	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in
	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in
	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in
•	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in
•	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in degrees and radians (ACMMM036)
•	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in degrees and radians (ACMMM036)
•	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in degrees and radians (ACMMM036)
•	recognise the graphs of $y = \sin x$, $y = \cos x$ and $y = \tan x$ and sketch on extended domains in degrees and radians (ACMMM036)

Students: • derive the formula for arc length, $l=r\theta$ and for the area of a sector of a circle, $A=\frac{1}{2}r^2\theta$		
• derive the formula for arc length, $l=r\theta$ and for the area of a sector of a circle, $A=\frac{1}{2}r^2\theta$	₹	
	•••••	
	•••••	
	••••••	
tudents:		
 solve problems involving sector areas, arc lengths and combinations of either areas or le 	engths	
solve problems involving sector areas, arc lengths and combinations of either areas or le	engths	
solve problems involving sector areas, arc lengths and combinations of either areas or le	engths	
solve problems involving sector areas, arc lengths and combinations of either areas or le	engths	
solve problems involving sector areas, arc lengths and combinations of either areas or le	engths	
solve problems involving sector areas, arc lengths and combinations of either areas or le	engths	
solve problems involving sector areas, arc lengths and combinations of either areas or le	engths	
solve problems involving sector areas, arc lengths and combinations of either areas or le	engths	

Trigonometric Functions

MA-T2 Trigonometric Functions and Identities

Outcomes

A student:

- uses algebraic and graphical techniques to solve, and where appropriate, compare alternative solutions to problems MA11-1
- uses the concepts and techniques of periodic functions in the solutions of trigonometric equations or proof of trigonometric identities MA11-4
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- > provides reasoning to support conclusions which are appropriate to the context MA11-9

Subtopic Focus

The principal focus of this subtopic is to use trigonometric identities and reciprocal relationships to simplify expressions, to prove equivalences and to solve equations.

Students develop their ability to prove identities, simplify expressions and solve trigonometric

	that vary in a cyclical way such as tides, seasons, demand for resources, and alternating current. The solution of trigonometric equations may require the use of trigonometric identities.
•••	
•••	

•	define the reciprocal trigonometric functions, $y = \csc x$, $y = \sec x$ and $y = \cot x$	
	$- \operatorname{cosec} A = \frac{1}{\sin A}, \sin A \neq 0$	
	$- \sec A = \frac{1}{\cos A}, \cos A \neq 0$	
	$- \cot A = \frac{\cos A}{\sin A}, \sin A \neq 0$	
		•••
		•••
• • • • • • • •		•••
• • • • • • • • • • • • • • • • • • • •		
Stuc	ente:	
Stud	ents: sketch the graphs of reciprocal trigonometric functions in both radians and degrees	
		•••
•		
•	sketch the graphs of reciprocal trigonometric functions in both radians and degrees	
•	sketch the graphs of reciprocal trigonometric functions in both radians and degrees	
	sketch the graphs of reciprocal trigonometric functions in both radians and degrees	
	sketch the graphs of reciprocal trigonometric functions in both radians and degrees	
	sketch the graphs of reciprocal trigonometric functions in both radians and degrees	
	sketch the graphs of reciprocal trigonometric functions in both radians and degrees	

	and apply the Pythag $x = \csc^2 x$ (ACMS)		$\cos^2 x + \sin^2 x = 1$	$1 + \tan^2 x = \sec^2 x$	and
	w the difference bet		on and an identity		
Students:					
• use tan	$x = \frac{\sin x}{\cos x}$ provided the	$at \cos x \neq 0$			

Stu	dents:
•	prove trigonometric identities
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
•••••	
Stu	dents:
•	evaluate trigonometric expressions using angles of any magnitude and complementary angle
	results
•••••	
•••••	

Students: • simplify trigonometric expressions and solve trigonometric equations, including those that reduce to quadratic equations ***
Students:

Topic: Calculus

Outcomes

A student:

- uses algebraic and graphical techniques to solve, and where appropriate, compare alternative solutions to problems MA11-1
- interprets the meaning of the derivative, determines the derivative of functions and applies these to solve simple practical problems MA11-5
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- provides reasoning to support conclusions which are appropriate to the context MA11-9

Topic Focus

The topic Calculus is concerned with how quantities change and provides a framework for developing quantitative models of change and deducing their consequences. The topic involves the development of the basic concepts upon which differential calculus is built, namely the connection between the gradient of the tangent to a curve and the instantaneous rate of change of a function, rates of change and derivatives of functions and the manipulative skills necessary for the effective use of differential calculus.

The study of calculus is important in developing students' ability to solve problems involving algebraic and graphical representations of functions and rates of change of a function with relevance to all quantitative fields of study including physics, chemistry, medicine, engineering, computing, statistics, business, finance, economics and the construction industry.

Subtopics

MA-C1 Introduction to Differentiation

Calculus

MA-C1 Introduction to Differentiation

Outcomes

A student:

- uses algebraic and graphical techniques to solve, and where appropriate, compare alternative solutions to problems MA11-1
- interprets the meaning of the derivative, determines the derivative of functions and applies these to solve simple practical problems MA11-5
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- provides reasoning to support conclusions which are appropriate to the context MA11-9

Subtopic Focus

The principal focus of this subtopic is for students to develop an understanding of the concept of a derivative as a function that defines the rate of change of a given function. This concept is reinforced numerically, by calculating difference quotients, geometrically, as gradients of secants and tangents, and algebraically. The derivatives of power functions are found and used to solve simple problems, including calculating gradients and equations of tangents and normals.

Students develop an understanding of derivatives as representations of rates of change. This process

	is of fundamental importance in Mathematics and has applications in all quantitative fields of study including physics, chemistry, medicine, engineering, computing, statistics, business, finance and economics.
••	

C1.1: Gradients of tangents

- distinguish between continuous and discontinuous functions, identifying key elements which distinguish each type of function
 - sketch graphs of functions that are continuous and compare them with graphs of functions that have discontinuities

_	that have discontinuities describe continuity informally, and identify continuous functions from their graphs
•••••	
Stude	nte:
• 0	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous
f	
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which
f	escribe the gradient of a secant drawn through two nearby points on the graph of a continuous unction as an approximation of the gradient of the tangent to the graph at those points, which

	Its: camine and use the relationship between the angle of inclination of a line or tangent, θ , with the positive x -axis, and the gradient, m , of that line or tangent, and establish that $\tan \theta = m$ AAM
	bottive x-axis, and the gradient, m, or that line or tangent, and establish that tan $\theta = m$ AAM
Stude	lescribe the behaviour of a function and its tangent at a point, using language including
İI	ncreasing, decreasing, constant, stationary, increasing at an increasing rate AAM 🎺 🌮
•••••	

Stude	ents:
•	interpret and use the difference quotient $\frac{f(x+h)-f(x)}{h}$ as the average rate of change of $f(x)$ or the
	gradient of a chord or secant of the graph $y = f(x)$
•••••	
•••••	
•••••	
•••••	
••••••	
Stude	ante:
Stude	
Stude	ents: interpret the meaning of the gradient of a function in a variety of contexts, for example on distance–time or velocity–time graphs ***
Stude	interpret the meaning of the gradient of a function in a variety of contexts, for example on
Stude	interpret the meaning of the gradient of a function in a variety of contexts, for example on
Stude	interpret the meaning of the gradient of a function in a variety of contexts, for example on
Stude	interpret the meaning of the gradient of a function in a variety of contexts, for example on
Stude	interpret the meaning of the gradient of a function in a variety of contexts, for example on
Stude	interpret the meaning of the gradient of a function in a variety of contexts, for example on
Stude	interpret the meaning of the gradient of a function in a variety of contexts, for example on
Stude	interpret the meaning of the gradient of a function in a variety of contexts, for example on
	interpret the meaning of the gradient of a function in a variety of contexts, for example on distance–time or velocity–time graphs ***
	interpret the meaning of the gradient of a function in a variety of contexts, for example on
	interpret the meaning of the gradient of a function in a variety of contexts, for example on distance–time or velocity–time graphs ***
	interpret the meaning of the gradient of a function in a variety of contexts, for example on distance–time or velocity–time graphs ***
	interpret the meaning of the gradient of a function in a variety of contexts, for example on distance–time or velocity–time graphs ***
	interpret the meaning of the gradient of a function in a variety of contexts, for example on distance–time or velocity–time graphs ** **
	interpret the meaning of the gradient of a function in a variety of contexts, for example on distance–time or velocity–time graphs ***

C1.3: The derivative function and its graph

•	examine the behaviour of the difference quotient $\frac{f(x+h)-f(x)}{h}$ as $h \to 0$ as an informal introduction to the concept of a limit (ACMMM081)
•••••	
•••••	
•••••	
<u> </u>	
Stud	ents: interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x
	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x
•	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
•	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
•	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
•	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
•	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
•	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
•	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
•	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
•	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)
	interpret the derivative as the gradient of the tangent to the graph of $y = f(x)$ at a point x (ACMMM085)

Stuc	ents:
•	estimate numerically the value of the derivative at a point, for simple power functions
	(ACMMM086) * ■
••••••	
•••••	
••••••	
Stuc	ents:
Stud	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the
	define the derivative $f'(x)$ from first principles, as $\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$ and use the notation for the

•	ents: use first principles to find the derivative of simple polynomials, up to and including degree 3
	,
•••••	
•••••	
•••••	
•••••	
21 -1	
Stud	DUC.
•	understand the concept of the derivative as a function (ACMMM089)
•	
•	
	understand the concept of the derivative as a function (ACMMM089)
	understand the concept of the derivative as a function (ACMMM089)
	understand the concept of the derivative as a function (ACMMM089)
	understand the concept of the derivative as a function (ACMMM089)
	understand the concept of the derivative as a function (ACMMM089)
	understand the concept of the derivative as a function (ACMMM089)
	understand the concept of the derivative as a function (ACMMM089)
	understand the concept of the derivative as a function (ACMMM089)

\cap			1
Sti	IO	en	ITS:

- sketch the derivative function (or gradient function) for a given graph of a function, without the use of algebraic techniques and in a variety of contexts including but not limited to motion in a straight line 🌣 🖳 🕏
 - establish that f'(x) = 0 at a stationary point, f'(x) > 0 when the function is increasing and f'(x) < 0 when it is decreasing, to form a framework for sketching the derivative function

	ntify families of curves with the same derivative function (ACMMM121) e technology to plot functions and their gradient functions
•••••	
•••••	
	et and use the derivative at a point as the instantaneous rate of change of a function at than to the derivative at a point as the instantaneous rate of change of a function at the details.
interpoir	ret and use the derivative at a point as the instantaneous rate of change of a function at the AAM amine examples of variable rates of change of non-linear functions (ACMMM087)
interpoir	MAM
• interpoir – 6	AAM amine examples of variable rates of change of non-linear functions (ACMMM087)
• interpoir — 6	MAM
• interpoir — 6	AAM amine examples of variable rates of change of non-linear functions (ACMMM087)
• interpoir – 6	AAM amine examples of variable rates of change of non-linear functions (ACMMM087)
• interpoir — 6	AAM amine examples of variable rates of change of non-linear functions (ACMMM087)
• interpoir — 6	AAM amine examples of variable rates of change of non-linear functions (ACMMM087)

C1.4: Calculating with derivatives

• use the formula $\frac{d}{dx}(x^n) = nx^{n-1}$ for all real values of $n^{\frac{d}{n}}$	
	••••
	••••
	••••
	••••
	••••
	••••
	••••
	••••
Students: • differentiate a constant multiple of a function and the sum or difference of two functions ** ■	
	••••
 ■ differentiate a constant multiple of a function and the sum or difference of two functions ** ■ 	
differentiate a constant multiple of a function and the sum or difference of two functions **	
differentiate a constant multiple of a function and the sum or difference of two functions **	
differentiate a constant multiple of a function and the sum or difference of two functions **	
differentiate a constant multiple of a function and the sum or difference of two functions **	
differentiate a constant multiple of a function and the sum or difference of two functions **	
differentiate a constant multiple of a function and the sum or difference of two functions **	
differentiate a constant multiple of a function and the sum or difference of two functions **	

Sti	. ~	~-	٠+٥	٠.
. 711	111	-1	115	

- understand and use the product, quotient and chain rules to differentiate functions of the form $f(x)g(x), \frac{f(x)}{g(x)}$ and f(g(x)) where f(x) and g(x) are functions
 - apply the product rule: If h(x) = f(x) g(x) then h'(x) = f(x) g'(x) + f'(x) g(x), or if u and v are both functions of x then $\frac{d}{dx}(uv) = u\frac{dv}{dx} + v\frac{du}{dx}$
 - apply the quotient rule: If $h(x) = \frac{f(x)}{g(x)}$ then $h'(x) = \frac{g(x)f'(x) f(x)g'(x)}{g(x)^2}$, or if u and v are both functions of x then $\frac{d}{dx} \left(\frac{u}{v} \right) = \frac{v \frac{du}{dx} u \frac{dv}{dx}}{v^2}$

- apply the chain rule: If $h(x) = f(g(x))$ then $h'(x) = f'(g(x)) g'(x)$, or if y is a function of u an u is a function of x then $\frac{dy}{dx} = \frac{dy}{du} \times \frac{du}{dx}$	
	•••••
	•••••

Sti	٦.		+~	
711 C	1()	-	IIS.	

•	calculate derivatives of power functions to solve problems, including but not limited to finding an instantaneous rate of change of a function in both real life and abstract situations AAM
•••••	
•••••	
Ct	danta.
•	dents: use the derivative in a variety of contexts, including but not limited to finding the equation of a tangent or normal to a graph of a power function at a given point AAM
•	-
•	use the derivative in a variety of contexts, including but not limited to finding the equation of a
•	use the derivative in a variety of contexts, including but not limited to finding the equation of a tangent or normal to a graph of a power function at a given point AAM
•	use the derivative in a variety of contexts, including but not limited to finding the equation of a tangent or normal to a graph of a power function at a given point AAM
•	use the derivative in a variety of contexts, including but not limited to finding the equation of a tangent or normal to a graph of a power function at a given point AAM
•	use the derivative in a variety of contexts, including but not limited to finding the equation of a tangent or normal to a graph of a power function at a given point AAM
•	use the derivative in a variety of contexts, including but not limited to finding the equation of a tangent or normal to a graph of a power function at a given point AAM
•	use the derivative in a variety of contexts, including but not limited to finding the equation of a tangent or normal to a graph of a power function at a given point AAM

•	lents: determine the velocity of a particle given its displacement from a point as a function of time
•••••	
•••••	
Stu	lents:
•	lents: determine the acceleration of a particle given its velocity at a point as a function of time
•	
•	determine the acceleration of a particle given its velocity at a point as a function of time
•	determine the acceleration of a particle given its velocity at a point as a function of time
•	determine the acceleration of a particle given its velocity at a point as a function of time
•	determine the acceleration of a particle given its velocity at a point as a function of time
•	determine the acceleration of a particle given its velocity at a point as a function of time
•	determine the acceleration of a particle given its velocity at a point as a function of time
•	determine the acceleration of a particle given its velocity at a point as a function of time

Topic: Exponential and Logarithmic Functions

Outcomes

A student:

- manipulates and solves expressions using the logarithmic and index laws, and uses logarithms and exponential functions to solve practical problems MA11-6
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- provides reasoning to support conclusions which are appropriate to the context MA11-9

Topic Focus

The topic Exponential and Logarithmic Functions introduces exponential and logarithmic functions and develops their properties, including the manipulation of expressions involving them. The exponential function e^x is introduced by considering graphs of the derivative of exponential functions.

A knowledge of exponential and logarithmic functions enables an understanding of practical applications, such as exponential growth and decay, as well as applications within the Calculus topic.

The study of exponential and logarithmic functions is important in developing students' ability to solve practical problems involving rates of change in contexts such as population growth and compound interest.

Subtopics

MA-E1 Logarithms and Exponentials (

Exponential and Logarithmic Functions

MA-E1 Logarithms and Exponentials U

Outcomes

A student:

- manipulates and solves expressions using the logarithmic and index laws, and uses logarithms and exponential functions to solve practical problems MA11-6
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- provides reasoning to support conclusions which are appropriate to the context MA11-9

Subtopic Focus

The principal focus of this subtopic is for students to learn about Euler's number e, become fluent in manipulating logarithms and exponentials and to use their knowledge, skills and understanding to solve problems relating to exponentials and logarithms.

Students develop an understanding of numbering systems, their representations and connections to observable phenomena such as exponential growth and decay. The exponential and logarithmic functions $f(x) = e^x$ and $f(x) = \log_e x$ are important non-linear functions in Mathematics, and have many applications in industry, finance and science. They are also fundamental functions in the study of more advanced Mathematics.

Within this subtopic, schools have the opportunity to identify areas of Stage 5 content which may need to be reviewed to meet the needs of students.

Content

E1.1: Introducing logarithms

/
••••
••••
••••
••••
••••
••••
••••
••••
••••
••••
••••

	derstand and use the fact that $\log_a a^x = x$ for all real x , and $a^{\log_a x} = x$ for all $x > 0$
••••••	
••••••	
••••••	
•••••	
••••••	
ents:	arithmic laws and applications
derive	the logarithmic laws from the index laws and use the algebraic properties of logarithms
derive simplif	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions
derive simplif log _a m	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions $+\log_a n = \log_a(mn), \log_a m - \log_a n = \log_a\left(\frac{m}{n}\right), \log_a(m^n) = n\log_a m,$
derive simplif log _a m	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions
derive simplif $\log_a m$	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions $+\log_a n = \log_a(mn), \log_a m - \log_a n = \log_a\left(\frac{m}{n}\right), \log_a(m^n) = n\log_a m,$
derive simplif $\log_a m$	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions $+\log_a n = \log_a(mn), \log_a m - \log_a n = \log_a\left(\frac{m}{n}\right), \log_a(m^n) = n\log_a m,$
derive simplif log _a m	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions $+\log_a n = \log_a(mn), \log_a m - \log_a n = \log_a\left(\frac{m}{n}\right), \log_a(m^n) = n\log_a m,$
derive simplif log _a m	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions $+\log_a n = \log_a(mn), \log_a m - \log_a n = \log_a\left(\frac{m}{n}\right), \log_a(m^n) = n\log_a m,$
derive simplif log _a m	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions $+\log_a n = \log_a(mn), \log_a m - \log_a n = \log_a\left(\frac{m}{n}\right), \log_a(m^n) = n\log_a m,$
derive simplif $\log_a m$	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions $+\log_a n = \log_a(mn), \log_a m - \log_a n = \log_a\left(\frac{m}{n}\right), \log_a(m^n) = n\log_a m,$
derive simplif $\log_a m$	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions $+\log_a n = \log_a(mn), \log_a m - \log_a n = \log_a\left(\frac{m}{n}\right), \log_a(m^n) = n\log_a m,$
derive simplif log _a m	the logarithmic laws from the index laws and use the algebraic properties of logarithms by and evaluate logarithmic expressions $+\log_a n = \log_a(mn), \log_a m - \log_a n = \log_a\left(\frac{m}{n}\right), \log_a(m^n) = n\log_a m,$

Stu	dents:
•	consider different number bases and prove and use the change of base law $\log_a x = \frac{\log_b x}{\log_b a}$ AAM
	& ±
•••••	
Stu	dents: interpret and use logarithmic scales, for example decibels in acoustics, different seismic scales for earthquake magnitude, octaves in music or pH in chemistry (ACMMM154) AAM
•••••	

	S:
an	lve algebraic, graphical and numerical problems involving logarithms in a variety of practical displayments abstract contexts, including applications from financial, scientific, medical and industrial ntexts AAM
• • • • • • • • • • • • • • • • • • • •	
•••••	
•••••	
•••••	
•••••	
	s: The exponential function and natural logarithms
l.3: ⁻	The exponential function and natural logarithms
l.3: ⁻	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100)
l.3: ⁻	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x
l.3: ⁻	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and
l.3: ⁻	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x
l.3: ⁻	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x
l.3: ⁻	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x
l.3: ⁻	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x
1.3:	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x
1.3:	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x
1.3:	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x
1.3:	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x
1.3:	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x
	The exponential function and natural logarithms tablish and use the formula $\frac{d(e^x)}{dx} = e^x$ (ACMMM100) using technology, sketch and explore the gradient function of exponential functions and determine that there is a unique number $e \approx 2.71828182845$, for which $\frac{d(e^x)}{dx} = e^x$ where e^x

	nts: apply the differentiation rules to functions involving the exponential function, $f(x) = ke^{ax}$, where k and a are constants
••••••	
••••••	
••••••	
••••••	
••••••	
	work with natural logarithms in a variety of practical and abstract contexts AAM - define the natural logarithm $\ln x = \log_e x$ from the exponential function $f(x) = e^x$ (ACMMM159) - recognise and use the inverse relationship of the functions $y = e^x$ and $y = \ln x$ (ACMMM160) - use the natural logarithm and the relationships $e^{\ln x} = x$ where $x > 0$, and $\ln(e^x) = x$ for all real x in both algebraic and practical contexts - use the logarithmic laws to simplify and evaluate natural logarithmic expressions and solve equations
••••••	
••••••	
•••••	

Students:

E1.4: Graphs and applications of exponential and logarithmic functions

•	solve equations involving indices using logarithms (ACMMM155)
••••••	
Stude	nts:
•	nts: graph an exponential function of the form $y = a^x$ for $a > 0$ and its transformations $y = ka^x + c$ and $y = ka^{x+b}$ where k , b and c are constants $b = 1$ interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist a^{x+b}
•	graph an exponential function of the form $y=a^x$ for $a>0$ and its transformations $y=ka^x+c$ and $y=ka^{x+b}$ where k , b and c are constants \emptyset \blacksquare . - interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist \clubsuit
•	graph an exponential function of the form $y = a^x$ for $a > 0$ and its transformations $y = ka^x + c$ and $y = ka^{x+b}$ where k , b and c are constants \mathbb{Q} . - interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist \mathbb{Q} .
•	graph an exponential function of the form $y = a^x$ for $a > 0$ and its transformations $y = ka^x + c$ and $y = ka^{x+b}$ where k , b and c are constants b . - interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist a^{x+b} .
•	graph an exponential function of the form $y = a^x$ for $a > 0$ and its transformations $y = ka^x + c$ and $y = ka^{x+b}$ where k , b and c are constants b . - interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist
•	graph an exponential function of the form $y = a^x$ for $a > 0$ and its transformations $y = ka^x + c$ and $y = ka^{x+b}$ where k , b and c are constants b . - interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist a^{x+b} .
	graph an exponential function of the form $y = a^x$ for $a > 0$ and its transformations $y = ka^x + c$ and $y = ka^{x+b}$ where k , b and c are constants \emptyset — interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist ϕ
	graph an exponential function of the form $y=a^x$ for $a>0$ and its transformations $y=ka^x+c$ and $y=ka^{x+b}$ where k , b and c are constants \emptyset . - interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist \bullet^*
	graph an exponential function of the form $y=a^x$ for $a>0$ and its transformations $y=ka^x+c$ and $y=ka^{x+b}$ where k , b and c are constants \emptyset . - interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist \bullet
	graph an exponential function of the form $y=a^x$ for $a>0$ and its transformations $y=ka^x+c$ and $y=ka^{x+b}$ where k , b and c are constants \emptyset . - interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist \bullet^*
	graph an exponential function of the form $y=a^x$ for $a>0$ and its transformations $y=ka^x+c$ and $y=ka^{x+b}$ where k , b and c are constants b e . Interpret the meaning of the intercepts of an exponential graph and explain the circumstances in which these do not exist e^x .

	ents:
	establish and use the algebraic properties of exponential functions to simplify and solve problems (ACMMM064)
•••••	
•••••	
•••••	
•••••	
Stude	
	enis:
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,
•	solve problems involving exponential functions in a variety of practical and abstract contexts,

Students:
• graph a logarithmic function $y = \log_a x$ for $a > 0$ and its transformations $y = k \log_a x + c$, using technology or otherwise, where k and c are constants
- recognise that the graphs of $y = a^x$ and $y = \log_a x$ are reflections in the line $y = x$
Students:
Students: • model situations and solve simple equations involving logarithmic or exponential functions algebraically and graphically AAM
 model situations and solve simple equations involving logarithmic or exponential functions
 model situations and solve simple equations involving logarithmic or exponential functions
 model situations and solve simple equations involving logarithmic or exponential functions
 model situations and solve simple equations involving logarithmic or exponential functions
 model situations and solve simple equations involving logarithmic or exponential functions
 model situations and solve simple equations involving logarithmic or exponential functions
model situations and solve simple equations involving logarithmic or exponential functions algebraically and graphically AAM
 model situations and solve simple equations involving logarithmic or exponential functions
model situations and solve simple equations involving logarithmic or exponential functions algebraically and graphically AAM
model situations and solve simple equations involving logarithmic or exponential functions algebraically and graphically AAM
model situations and solve simple equations involving logarithmic or exponential functions algebraically and graphically AAM

Students:	
• identify contexts suitable for modelling by exponential and logarithmic functions and use these	
functions to solve practical problems (ACMMM066, ACMMM158) AAM	
	•••••
	• • • • •
	· • • • •
	••••
	•••••
	· • • • • •
	•••••
Students:	
	•••••
	•••••
	•••••
	••••
	· • • • •
	· • • • • •
	•••••
	•••••

Topic: Statistical Analysis

Outcomes

A student:

- uses concepts and techniques from probability to present and interpret data and solve problems in a variety of contexts, including the use of probability distributions MA11-7
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- provides reasoning to support conclusions which are appropriate to the context MA11-9

Topic Focus

The topic Statistical Analysis involves the exploration, display, analysis and interpretation of data to identify and communicate key information.

A knowledge of statistical analysis enables careful interpretation of situations and an awareness of the contributing factors when presented with information by third parties, including its possible misrepresentation.

The study of statistical analysis is important in developing students' ability to recognise, describe and apply statistical techniques in order to analyse current situations or to predict future outcomes. It also develops an awareness of how conclusions drawn from data can be used to inform decisions made by groups such as scientific investigators, business people and policy-makers.

Subtopics

MA-S1 Probability and Discrete Probability Distributions (

Statistical Analysis

MA-S1 Probability and Discrete Probability Distributions 🛭

Outcomes

A student:

- uses concepts and techniques from probability to present and interpret data and solve problems in a variety of contexts, including the use of probability distributions MA11-7
- uses appropriate technology to investigate, organise, model and interpret information in a range of contexts MA11-8
- > provides reasoning to support conclusions which are appropriate to the context MA11-9

Subtopic Focus

The principal focus of this subtopic is to introduce the concepts of conditional probability and independence and develop an understanding of discrete random variables and their uses in modelling random processes involving chance.

Students develop their skills related to probability, its language and visual representations, and use these skills to solve practical problems. They develop an understanding of probability distributions and associated statistical analysis methods and their use in modelling binomial events. These concepts play an important role in later studies of statistics, particularly in beginning to understand the concept of statistical significance.

Within this subtopic, schools have the opportunity to identify areas of Stage 5 content which may

need to be reviewed to meet the needs of students.

Content

S1.1: Probability and Venn diagrams

 understand and use the concepts and language associated with theoretical probability, relative frequency and the probability scale 	
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	•••
	_
Students:	
Students: • solve problems involving simulations or trials of experiments in a variety of contexts AAM () — - identify factors that could complicate the simulation of real-world events (ACMEM153) - use relative frequencies obtained from data as point estimates of probabilities (ACMMM055)	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM () = identify factors that could complicate the simulation of real-world events (ACMEM153) 	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM () = identify factors that could complicate the simulation of real-world events (ACMEM153) 	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM () — identify factors that could complicate the simulation of real-world events (ACMEM153) use relative frequencies obtained from data as point estimates of probabilities (ACMMM055) 	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM () — identify factors that could complicate the simulation of real-world events (ACMEM153) use relative frequencies obtained from data as point estimates of probabilities (ACMMM055) 	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM () — identify factors that could complicate the simulation of real-world events (ACMEM153) use relative frequencies obtained from data as point estimates of probabilities (ACMMM055) 	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM () — identify factors that could complicate the simulation of real-world events (ACMEM153) use relative frequencies obtained from data as point estimates of probabilities (ACMMM055) 	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM () — identify factors that could complicate the simulation of real-world events (ACMEM153) use relative frequencies obtained from data as point estimates of probabilities (ACMMM055) 	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM () — identify factors that could complicate the simulation of real-world events (ACMEM153) use relative frequencies obtained from data as point estimates of probabilities (ACMMM055) 	
solve problems involving simulations or trials of experiments in a variety of contexts AAM □ identify factors that could complicate the simulation of real-world events (ACMEM153) □ use relative frequencies obtained from data as point estimates of probabilities (ACMMM055)	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM № — identify factors that could complicate the simulation of real-world events (ACMEM153) use relative frequencies obtained from data as point estimates of probabilities (ACMMM055) 	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM () — identify factors that could complicate the simulation of real-world events (ACMEM153) use relative frequencies obtained from data as point estimates of probabilities (ACMMM055) 	
 solve problems involving simulations or trials of experiments in a variety of contexts AAM () — identify factors that could complicate the simulation of real-world events (ACMEM153) use relative frequencies obtained from data as point estimates of probabilities (ACMMM055) 	

Stud	lents:
•	use arrays and tree diagrams to determine the outcomes and probabilities for multi-stage experiments (ACMEM156) AAM ⁽⁾
•••••	
•••••	
•••••	
Stud	lents:
•	use Venn diagrams, set language and notation for events, including \bar{A} (or A' or A^c) for the complement of an event A , $A \cap B$ for ' A and B ', the intersection of events A and B , and $A \cup B$ for ' A or B ', the union of events A and B , and recognise mutually exclusive events (ACMMM050) AAM
	 use everyday occurrences to illustrate set descriptions and representations of events and set operations (ACMMM051)
•••••	

		•••••			
nts:					
nts: understand the no	tion of conditior		and recognise	and use langu	uage that indicate
nts: understand the no	tion of conditior		and recognise	and use langu	uage that indicate
ents: understand the no conditionality (ACI	tion of condition	nal probability			
nts: understand the no conditionality (ACI	tion of conditior MMM056)	nal probability			
nts: understand the no conditionality (ACI	tion of condition	nal probability			
ents: understand the no conditionality (ACI	tion of condition	nal probability			
nts: understand the no conditionality (ACI	tion of condition	nal probability			
nts: understand the no conditionality (ACI	tion of condition	nal probability			
nts: understand the no conditionality (ACI	tion of condition	nal probability			
nts: understand the no conditionality (ACI	tion of condition	nal probability			
nts: understand the no conditionality (ACI	tion of condition	nal probability			
ents: understand the no conditionality (ACI	tion of condition	nal probability			

Students:		
•	use the notation $P(A B)$ and the formula $P(A B) = \frac{P(A \cap B)}{P(B)}$, $P(B) \neq 0$ for conditional probability (ACMMM057) AAM	
	ents: understand the notion of independence of an event A from an event B , as defined by $P(A B) = P(A)$ (ACMMM058)	
•••••		

Students:
• use the multiplication law $P(A \cap B) = P(A)P(B)$ for independent events A and B and recognise the symmetry of independence in simple probability situations (ACMMM059)
Students:
S1.2: Discrete probability distributions
define and categorise random variables
 know that a random variable describes some aspect in a population from which samples can be drawn
 know the difference between a discrete random variable and a continuous random variable

- use discrete random variables and associated probabilities to solve practical problems (ACMMM142) AAM
 - use relative frequencies obtained from data to obtain point estimates of probabilities associated with a discrete random variable (ACMMM137)
 - recognise uniform random variables and use them to model random phenomena with equally likely outcomes (ACMMM138)
 - examine simple examples of non-uniform discrete random variables, and recognise that for any random variable, X, the sum of the probabilities is 1 (ACMMM139)
 - recognise the mean or expected value, $E(X) = \mu$, of a discrete random variable X as a measure of centre, and evaluate it in simple cases (ACMMM140)
 - recognise the variance, Var(X), and standard deviation (σ) of a discrete random variable as measures of spread, and evaluate them in simple cases (ACMMM141)

- use $Var(X) = E((X - \mu)^2) = E(X^2) - \mu^2$ for a continuous random variable and $Var(x) = \sigma^2$ for a dataset		
Students:		

Stude	ents:
	understand that a sample mean, \bar{x} , is an estimate of the associated population mean μ , and that the sample standard deviation, s , is an estimate of the associated population standard deviation, σ , and that these estimates get better as the sample size increases and when we have independent observations

$\sigma,$ and that these estimates get better as the sample size increases and when we have independent observations		
Students:		